

## 2024 COLLECTION

Window Portable Dehumidifier Through The Wall PTAC



IWA05-KM15 5,000 BTU IWA06-KM15 6,000 BTU IWA08-KM15 8,000 BTU IWA12-KM15 12,000 BTU

Ň

### mechanical controlled mini & compact Window Air Conditioner



IWA06-KM15, IWA08-KM15, IWA12-KM15

¢ ¢ t	2 - 8 WAY AIR DIRECTION	Guide the air flow right, left, up, or down
S.S.S.	VARIALBLE COOLING & FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
$\bigcirc$	AUTO RESTART	Automatically resume previous settings when turning the unit back on
ဂျို	WHISPER QUIET OPERATION	Enjoy comfortable noise levels with our preferred units' whisper quiet operation



IWA06-KR15 ..... 6,000 BTU IWA08-KR15 ..... 8,000 BTU

IWA10-KR15.... 10,000 BTU IWA06-KS30......6,000 ВТU IWA10-KS30.....10,000 ВТU IWA12-KR15.... 12,000 BTU IWA08-KS30 ...... 8,000 ВТU И ИМА12-KS30 ..... 12,000 ВТU

## electronic controlled Window Air Conditioner



Ş	ENERGY SAVER MODE	Unit turns off when desired temperature is reached
	CLEAN FILTER INDICATOR	Save energy and maximize cooling by cleaning your filter when indicated
	REMOTE CONTROL	Adjust temperature controls and settings from anywhere in the room
$\bigcirc$	PROGRAMMABLE 24 HOUR ON+OFF TIMER	Save energy by running your AC only when you need it
STR XIX	8 WAY AIR DIRECTION	Guide the air flow up, down, right or left
S.S.	3 COOLING SPEEDS, 3 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
$\bigcirc$	AUTO RESTART	Automatically resume previous settings when turning the unit back on
$\ddot{\odot}$	SLEEP MODE	Save energy by adjusting temperature slightly while you'r asleep



IWA15-KS30 .... 15,100 BTU IWA18-KS30 .... 18,000 BTU

🔤 IWA25-KS30....25,000 ВТU

## electronic controlled Window Air Conditioner



Ş	ENERGY SAVER MODE	
0	CLEAN FILTER INDICATOR	
	REMOTE CONTROL WITH DISPLAY	
$\bigcirc$	PROGRAMMABLE 24 HOUR ON+OFF TIMER	
STR STR	8 WAY AIR DIRECTION	
	3 COOLING SPEEDS, 3 FAN SPEEDS	
$\bigcirc$	AUTO RESTART	
	PMTS	
(	SLEEP MODE	

)	ENERGY SAVER MODE	Unit turns off when desired temperature is reached
Ш	CLEAN FILTER INDICATOR	Save energy and maximize cooling by cleaning your filter when indicated
)	REMOTE CONTROL WITH DISPLAY	Adjust temperature controls and settings from anywhere in the room
)	PROGRAMMABLE 24 HOUR ON+OFF TIMER	Save energy by running your AC only when you need it
RAN	8 WAY AIR DIRECTION	Guide the air flow up, down, right or left
Ş	3 COOLING SPEEDS, 3 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
)	AUTO RESTART	Automatically resume previous settings when turning the unit back on
	PMTS	Senses the temperature from where the remote control is located
	SLEEP MODE	Save energy by adjusting temperature slightly while you'r asleep



WI

IWAH08-KRA 8,000/3,500 BTU IWAH12-KRB 12,000/11,00 BTU IWAH18-KRB 18,00016,000 BTU IWAH25-KRB 25,000/16,000 BTU

## electronic controlled Window Air Conditioner

ith Electric <b>Heater</b>	
DESIGNAR CLEAN AIR PFTS WAT STAT CLOCK BLEEP LED	Сімресса

Ş	ENERGY SAVER MODE	Unit turns off when desired temperature is reached
0	CLEAN FILTER INDICATOR	Save energy and maximize cooling by cleaning your filter when indicated
	REMOTE CONTROL WITH DISPLAY	Adjust temperature controls and settings from anywhere in the room
$\bigcirc$	PROGRAMMABLE 24 HOUR ON+OFF TIMER	Save energy by running your AC only when you need it
STR KIN	8 WAY AIR DIRECTION	Guide the air flow up, down, right or left
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	3 COOLING SPEEDS, 3 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
$\bigcirc$	AUTO RESTART	Automatically resume previous settings when turning the unit back on
ŀ	PMTS	Senses the temperature from where the remote control is located
$\ddot{\odot}$	SLEEP MODE	Save energy by adjusting temperature slightly while you'r asleep

Equivalent to Previous

C	MPEC	
	MPEC	CA

IPAC06-DR 3,000 BTU	6,000 BTU
IPAC08-DR 4,000 BTU	8,000BTU

## Portable Air Conditioner







 $\bigcirc$ LED Ð SP  $\bigcirc$ (::: ျာ

PROGRAMMABLE 24 HOUR DELAY	Save energy by running your AC only when you need it
ELECTRONIC/DIGITAL CONTROL	Easily regulate Mode and temperature settings on AC unit as desired
LARGE CASTERS	Enables easy maneuverability from room to room
WASHABLE FILTER	Enables easy maintenance for the unit
2 COOLING SPEEDS, 2 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
AUTO RESTART	Restores AC to previous settings in case of power outage
REMOTE CONTROL WITH DISPLAY	Adjust and control settings at a glance
SLEEP MODE	Allows the room temperature to slightly increase for energy efficient operation
WHISPER QUIET OPERATION	Enjoy comfortable noise levels with our preferred units' whisper quiet operation

Equivalent to Previous



3-IN-1

COOL FAN DEHUMIDIFY

IPAC10-LR5,500BTU	10,000 BTU
IPAC12-LR	12,000 BTU
IPAC14-LS	14,000 BTU

## Portable Air Conditioner



$\bigcirc$
LED
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
$\bigcirc$
\$ \$
ဂျာ
ŀ

PROGRAMMABLE 24 HOUR DELAY	Save energy by running your AC only when you need it
ELECTRONIC/DIGITAL CONTROL	Easily regulate Mode and temperature settings on AC unit as desired
LARGE CASTERS	Enables easy maneuverability from room to room
WASHABLE FILTER	Enables easy maintenance for the unit
3 COOLING SPEEDS, 3 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
AUTO RESTART	Restores AC to previous settings in case of power outage
REMOTE CONTROL WITH DISPLAY	Adjust and control settings at a glance
SLEEP MODE	Allows the room temperature to slightly increase for energy efficient operation
AUTO 2 WAY AIR DIRECTION	Automatic air flow up and down
WHISPER QUIET OPERATION	Enjoy comfortable noise levels with our preferred units' whisper quiet operation
PMTS	Senses the temperature from where the remote control is located

Equivalent to Previous



IPAH12-KS	12,000 BTU
IPAH14-KS8,000 BTU	14,000 BTU

Portable Air Conditioner with Heat Pump			
4	4-IN-1		
 DI	COOL FAN HUMIDIFY HEAT		
$(\mathbf{b})$	PROGRAMMABLE 24 HOUR DELAY	Save energy by running your AC only when you need it	
LED	ELECTRONIC/DIGITAL CONTROL	Easily regulate Mode and temperature settings on AC unit as desired	
	LARGE CASTERS	Enables easy maneuverability from room to room	
	WASHABLE FILTER	Enables easy maintenance for the unit	
	3 COOLING SPEEDS, 3 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings	
$\bigcirc$	AUTO RESTART	Restores AC to previous settings in case of power outage	
	REMOTE CONTROL WITH DISPLAY	Adjust and control settings at a glance	
Ċ	SLEEP MODE	Allows the room temperature to slightly increase for energy efficient operation	
ት ት	AUTO 2 WAY AIR DIRECTION	Automatic air flow up and down	
ဂျာ	WHISPER QUIET OPERATION	Enjoy comfortable noise levels with our preferred units' whisper quiet operation	
Ŀ	PMTS	Senses the temperature from where the remote control is located	





## Packaged Terminal Air Conditioner

**4-IN-1** COOL FAN DEHUMIDIFY HEAT

Barrister Court State	terre anna anna .			
-	and the			
1			i i	
1			1	CIMPECCA
				(IMPECCA
-			and the second	
-				
-				
-				
-		and the second		
-		Statement of the local division of the local		
-	02			
-				
-				
	the second s		Contraction of the local division of the loc	

#### **Electric Heat Models**

 IPT07-KBE30
 7,000 BTU, 3KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT09-KBE30
 9,000 BTU, 3KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT12-KBE30
 12,000 BTU, 3KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT12-KBE50
 12,000 BTU, 5KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT15-KBE30
 15,000 BTU, 3KW Electric Heater, 208/230V-60HZ-1PH, 30 AMPS

 IPT15-KBE50
 15,000 BTU, 5KW Electric Heater, 208/230V-60HZ-1PH, 30 AMPS

#### Heat Pump with Electric Heat Models

 IPT07-KBP32
 7,000 BTU, 3KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT09-KBP32
 9,000 BTU, 3KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT12-KBP32
 12,000 BTU, 3KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT12-KBP52
 12,000 BTU, 5KW Electric Heater, 208/230V-60HZ-1PH, 20 AMPS

 IPT15-KBP32
 15,000 BTU, 5KW Electric Heater, 208/230V-60HZ-1PH, 30 AMPS

 IPT15-KBP52
 15,000 BTU, 5KW Electric Heater, 208/230V-60HZ-1PH, 30 AMPS

Accessories:

Wall Sleeve IPT-AUS30

Foldable Wall Sleeve IPT-AUS42

Sranard Grill (Stamped Aluminum) IPT-AGS10

Architectural Grill (Extruded) IPT-AGE50-GY



IDM30-SE	30	PINT
IDM45-SE	45	PINT
IDM70-SE	70	PINT

# PORTABLE **DEHUMIDIFIER**





I
LED
$\bigcirc$
autilita autilit
9
[

COMFORT MODE	Automatically adjusts your dehumidifier to a comfortable setting
WASHABLE FILTER	Enables easy maintenance for the unit
DIGITAL LED DISPLAY	Soft touch panel allows for easy humidity control
BUCKET FULL INDICATOR LIGHT	Lets you know when tank is full
AUTO SHUTOFF	Turns off the dehumidifier when bucket is full to prevent overflow
EXTERNAL DRAIN CONNECTOR	Eliminates the hassle of emptying the bucket
FRONT ACCESS BUCKET	Easy to remove and empty when water is full
BUILT IN CASTERS & HANDLES	Enables easy maneuverability from room to room
YEAR-ROUND OPERATION	Operates in Temperatures as low as 41° F



IDM52-SP		PINT
IDM72-SP		PINT
IDM95-TE	P95	PINT

# PORTABLE **DEHUMIDIFIER**

## with Built-in Automatic **DRAIN PUMP**

		a ner der och	e out	
Conservation of the local division of the lo	an pananan Ar pananan			
-	nar (ganaansaa) Nar (kanaansaa)			
-				
-				
-				
-				
-	-			
IPECCA				



Ð
LED
$\bigtriangleup$
$\bigcirc$
oollilioo
9

COMFORT MODE	Automatically adjusts your dehumidifier to a comfortable setting
WASHABLE FILTER	Enables easy maintenance for the unit
DIGITAL LED DISPLAY	Soft touch panel allows for easy humidity control
BUCKET FULL INDICATOR LIGHT	Lets you know when tank is full
AUTO SHUTOFF	Turns off the dehumidifier when bucket is full to prevent overflow
EXTERNAL DRAIN CONNECTOR	Eliminates the hassle of emptying the bucket
FRONT ACCESS BUCKET	Easy to remove and empty when water is full
BUILT IN CASTERS & HANDLES	Enables easy maneuverability from room to room
YEAR-ROUND OPERATION	Operates in Temperatures as low as 41° F



ITAC08-KS21 ..... 8,000 ВТU
 ITAC12-KSA21 . 12,000 ВТU
 ITAC10-KSA21 . 10,000 ВТU
 ITAC12-KSB21 . 12,000 ВТU
 ITAC10-KSB21 . 10,000 ВТU
 ITAC14-KR ....... 14,000 ВТU

## Through The Wall Air Conditioner



#### **Trim Kit Included**

Ş	ENERGY SAVER MODE	Unit turns off when desired temperature is reached
1	CLEAN FILTER INDICATOR	Save energy and maximize cooling by cleaning your filter when indicated
	REMOTE CONTROL WITH DISPLAY	Adjust temperature controls and settings from anywhere in the room
$\bigcirc$	PROGRAMMABLE 24 HOUR ON+OFF TIMER	Save energy by running your AC only when you need it
\$ } }	4 WAY AIR DIRECTION	Guide the air flow up, down, right or left
S:S	3 COOLING SPEEDS, 3 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
$\bigcirc$	AUTO RESTART	Automatically resume previous settings when turning the unit back on
(:::	SLEEP MODE	Save energy by adjusting termperature slightly while you'r asleep
ဂျို	WHISPER QUIET OPERATION	Enjoy comfortable noise levels with our preferred units' whisper quiet operation
Ø	WASHABLE FILTER	Enables easy maintenance for the unit



ITAH-08KR	8,000/4,200 BTU
ITAH-10KRB	10,000/10,600 BTU
ITAH-12KRB	12,000/10,600 BTU
ITAH-14KR	14,000/10,600 BTU

## Through The Wall Air Conditioner with Electric Heater





ENERGY SAVER MODE	Unit turns off when desired temperature is reached
CLEAN FILTER INDICATOR	Save energy and maximize cooling by cleaning your filter when indicated
REMOTE CONTROL WITH DISPLAY	Adjust temperature controls and settings from anywhere in the room
PROGRAMMABLE 24 HOUR ON+OFF TIMER	Save energy by running your AC only when you need it
4 WAY AIR DIRECTION	Guide the air flow up, down, right or left
3 COOLING SPEEDS, 3 FAN SPEEDS	Reduce noise level and save money with lowered cooling and fan settings
AUTO RESTART	Automatically resume previous settings when turning the unit back on
SLEEP MODE	Save energy by adjusting termperature slightly while you'r asleep
WHISPER QUIET OPERATION	Enjoy comfortable noise levels with our preferred units' whisper quiet operation
WASHABLE FILTER	Enables easy maintenance for the unit

